



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: ALLIED 15W40 CJ-4 55GL
Product Code: AL015455

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Motor Oil
Recommended restrictions: Not applicable

1.3. Details of the supplier of the safety data sheet

Manufacturer: ALLIED OIL & SUPPLY, INC.
2209 S. 24th Street
Omaha, NE 68108
Information Phone: 402-344-4343 800-333-3717
E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number: CHEMTREC: +1 (800) 424-9300
International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified under GHS

2.2. Label elements

2.3. Other hazards

Hazards not otherwise classified: Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

Unknown Acute Toxicity (Gas): 10.89048 % of the mixture consists of ingredient(s) of unknown toxicity.

SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, hydrotreated heavy paraffinic	90 - 99	64742-54-7	Acute Tox. 4; H332 Acute Tox. 3; H331
Solvent-refined light paraffinic distillate	0.5 - 1.5	64741-89-5	Acute Tox. 4; H332 Acute Tox. 3; H331
Solvent dewaxed light paraffinic distillate (petroleum)	0.5 - 1.5	64742-56-9	Acute Tox. 4; H332 Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical

SAFETY DATA SHEET

SECTION 4: First aid measures

Skin Contact	attention if irritation persists. Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms	Not determined
4.3. Indication of any immediate medical attention and special treatment needed	
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from the substance or mixture	
Fire and/or Explosion Hazards	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and Protection	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion Products	Carbon monoxide, Smoke

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
General Measures:	No health effects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
6.2. Environmental precautions	
	Do not flush to sewer. Avoid runoff into storm sewers and ditches that lead to waterways. Remove from water surface by skimming or with suitable absorbents. Do not use dispersants. Avoid runoff into storm sewers and ditches that lead to waterways.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}
6.4. Reference to other sections	
	Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Mildly irritating material. Avoid unnecessary exposure.
7.2. Conditions for safe storage, including any incompatibilities	Store in a cool dry place. Isolate from incompatible materials.
Incompatible materials	See Section 10.
7.3. Specific end use(s)	Motor Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SAFETY DATA SHEET

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	OSHA PEL	5 mg/m3
Distillates (petroleum), solvent-dewaxed light paraffinic	OSHA PEL	5 mg/m3
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Distillates (petroleum), solvent-dewaxed light paraffinic	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
Distillates (petroleum), solvent-dewaxed light paraffinic	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	

8.2. Exposure controls

Engineering Measures

Local exhaust ventilation or other engineering controls may be required when handling or using this product to avoid overexposure.

Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection

No special requirements under normal industrial use.

Skin Protection

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves

Neoprene, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Brown
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point	223
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive Limit, % in air	= 10
Lower Flammable/Explosive Limit, % in air	= 1
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
Relative Density	0.88
Solubility in Water	Negligible; 0-1%
Octanol/Water Partition	Not determined

SAFETY DATA SHEET

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Coefficient

Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	113.8

9.2. Other information

Volatiles, % by weight	0.000000
------------------------	----------

SECTION 10: Stability and reactivity

10.1. Reactivity No data available.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions Hazardous polymerization will not occur.

10.4. Conditions to avoid Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

10.5. Incompatible materials Strong oxidizing agents

10.6. Hazardous decomposition products Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion Toxicity No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

Skin Contact This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.

Absorption Estimated to be > 5.0 g/kg; practically non-toxic

Inhalation Toxicity No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

Eye Contact This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.

Sensitization Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

Reproductive and Developmental Toxicity No data available to indicate product or any components present at greater than 0.1% may cause birth defects.

Specific target organ toxicity-Single exposure Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

Specific target organ toxicity-Repeated exposure Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

Aspiration toxicity Non-hazardous under Aspiration category.

Other information No data available.

Agents Classified by IARC Monographs

Benzene	IARC Group 1
Not applicable	IARC Group 2A
Vinyl acetate	IARC Group 2B

National Toxicity Program (NTP) Status

Benzene	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

SAFETY DATA SHEET

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

12.3. Bioaccumulative potential

Bioconcentration may occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Description Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

SECTION 15: Regulatory information

Chemical Inventories

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Toluene	SARA 313	108-88-3	<10ppm
Benzene	SARA 313	71-43-2	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

U.S. State Regulations

Chemical Name	Regulation	CAS #	%
Benzene	California Prop 65- Cancer	71-43-2	<10ppm
Toluene	California Prop 65- Dev. Toxicity	108-88-3	<10ppm
Benzene	California Prop 65- Dev. Toxicity	71-43-2	<10ppm

SAFETY DATA SHEET

Chemical Name	Regulation	CAS #	%
None.	California Prop 65- Reprod -fem		
Benzene	California Prop 65- Reprod-male	71-43-2	<10ppm
Mineral oil, petroleum distillates, solvent-dewaxed light paraffinic	Massachusetts RTK List	64742-56-9	0.5 - 1.5
Mineral oil, petroleum distillates, solvent-refined light paraffinic	Massachusetts RTK List	64741-89-5	0.5 - 1.5
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous Substance List		

HMIS Ratings:

Health: 1
Fire: 1
Reactivity: 0
PPE: B

NFPA Ratings:

Health: 1
Fire: 1
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

SECTION 16: Other information

Revision Date

5/13/2015 11:17:53 AM

Supersedes:

4/2/2015 1:18:55 AM

References

ACGIH: American Conference of Governmental Industrial Hygienists
 AIHA: American Industrial Hygiene Association
 CFR: Code of Federal Regulations
 DOT: United States Department of Transportation
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals
 HMIS: Hazardous Materials Identification System
 IARC: International Agency for Research on Cancer
 IATA: International Air Transportation Association
 IDLH: Immediately Dangerous to Life or Health
 IMDG: International Maritime Dangerous Goods
 NFPA: National Fire Protection Association
 NIOSH: National Institute for Occupational Safety and Health
 NTP: National Toxicology Program
 OSHA: Occupational Safety and Health Administration
 PEL: Permissible Exposure Limit
 RTK: Right-to-Know
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short-term Exposure Limit
 TLV: Threshold limit value
 TSCA: Toxic Substances Control Act
 TWA: Time weighted average
 UN: United Nations
 WHMIS: Workplace Hazardous Materials Information System

Disclaimer

Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.

SAFETY DATA SHEET