



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: ALLIED 85W140 5GL
Product Code: AL55145G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Gear Oil
Recommended restrictions: Not applicable

1.3. Details of the supplier of the safety data sheet

Manufacturer: ALLIED OIL & SUPPLY, INC.
2209 S. 24th Street
Omaha, NE 68108
Information Phone: 402-344-4343 800-333-3717
E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number: CHEMTREC: +1 (800) 424-9300
International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Sensitisation Category 1B

2.2. Label elements

GHS Hazard Symbols



Signal Word

Warning

Hazard Statements

May cause an allergic skin reaction.

Precautionary Statements

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P321 - Specific treatment (see section 4).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Response

P363 - Wash contaminated clothing before reuse.

Disposal

P501- Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

Hazards not otherwise classified:

Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

SAFETY DATA SHEET

SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Residual oils (petroleum), solvent dewaxed	90 - 99	64742-62-7	Acute Tox. 4; H332 Acute Tox. 3; H331
Petroleum distillates, hydrotreated heavy paraffinic	5 - 10	64742-54-7	Acute Tox. 4; H332 Acute Tox. 3; H331
Polysulfides, di-tert-Bu	1 - 5	68937-96-2	Aquatic Chronic 3; H412
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	0.5 - 1.5	Confidential	Aquatic Chronic 2; H411 Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1; H317

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
Ingestion	Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

Note to Doctor Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable and Unsuitable

Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion

Hazards

Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

5.3. Advice for firefighters

Fire Fighting Methods and Protection

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous Combustion

Carbon monoxide, Smoke

Products

SAFETY DATA SHEET

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health effects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so.

Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s)

Gear Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m ³
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m ³
Oil mist, mineral	ACGIH STEL	10 mg/m ³
None.	IDLH	
None.	OSHA PEL-Skin Notation	

8.2. Exposure controls

Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin Protection

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves

Neoprene, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

SAFETY DATA SHEET

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Amber
Odor	No data
Odor threshold	Not determined
pH	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point	216
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive Limit, % in air	Not established
Lower Flammable/Explosive Limit, % in air	Not established
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
Relative Density	0.89
Solubility in Water	Insoluble
Octanol/Water Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	347.7
9.2. Other information	
Volatiles, % by weight	0.000000

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous decomposition products	Carbon monoxide, Smoke

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact	This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]). Can cause minor skin irritation, defatting, and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Sensitization	Non-hazardous under Respiratory Sensitization category. Contains a substance that may cause skin sensitization.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

SAFETY DATA SHEET

SECTION 11: Toxicological information

Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and Developmental Toxicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Vinyl acetate	IARC Group 2B
Cumene	IARC Group 2B
ethylbenzene	IARC Group 2B
Naphthalene	IARC Group 2B
Methyl isobutyl ketone	IARC Group 2B
Ethyl acrylate	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
Cumene	Reasonably Anticipated To Be A Human Carcinogen
Naphthalene	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

12.3. Bioaccumulative potential

Bioconcentration may occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SAFETY DATA SHEET

SECTION 14: Transport information

DOT Basic Description Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

SECTION 15: Regulatory information

Chemical Inventories

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Cumene	SARA 313	98-82-8	0.001- 0.01
ethylbenzene	SARA 313	100-41-4	0.001- 0.01
Naphthalene	SARA 313	91-20-3	<10ppm
Methyl isobutyl ketone	SARA 313	108-10-1	<10ppm
Ethyl acrylate	SARA 313	140-88-5	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

U.S. State Regulations

Chemical Name	Regulation	CAS #	%
Cumene	California Prop 65- Cancer	98-82-8	0.001- 0.01
ethylbenzene	California Prop 65- Cancer	100-41-4	0.001- 0.01
Naphthalene	California Prop 65- Cancer	91-20-3	<10ppm
ISOBUTYL METHYL KETONE	California Prop 65- Cancer	108-10-1	<10ppm
Ethyl acrylate	California Prop 65- Cancer	140-88-5	<10ppm
Methyl isobutyl ketone (MIBK)	California Prop 65- Dev. Toxicity	108-10-1	<10ppm
None.	California Prop 65- Reprod -fem		
None.	California Prop 65- Reprod-male		
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous Substance List		

HMIS Ratings:

Health: 1
Fire: 1
Reactivity: 0
PPE: B

NFPA Ratings:

Health: 1
Fire: 1
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

SAFETY DATA SHEET

SECTION 16: Other information

Revision Date 4/20/2015 4:00:49 PM
Supersedes: 4/20/2015 3:59:25 PM
References ACGIH: American Conference of Governmental Industrial Hygienists
AIHA: American Industrial Hygiene Association
CFR: Code of Federal Regulations
DOT: United States Department of Transportation
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
IATA: International Air Transportation Association
IDLH: Immediately Dangerous to Life or Health
IMDG: International Maritime Dangerous Goods
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible Exposure Limit
RTK: Right-to-Know
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term Exposure Limit
TLV: Threshold limit value
TSCA: Toxic Substances Control Act
TWA: Time weighted average
UN: United Nations
WHMIS: Workplace Hazardous Materials Information System

Disclaimer

Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.