



## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Name:** ALLIED TO-4 10 5GL  
**Product Code:** AL07105G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Automotive Lubricants  
**Recommended restrictions:** Not applicable

#### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** ALLIED OIL & SUPPLY, INC.  
2209 S. 24th Street  
Omaha, NE 68108  
**Information Phone:** 402-344-4343 800-333-3717  
**E-mail:** sds@wd-wpp.com

#### 1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300  
International: +01 (703) 527-3887

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Reproductive Toxicity Category 2

#### 2.2. Label elements

##### GHS Hazard Symbols



##### Signal Word

Warning

##### Hazard Statements

H361 - Suspected of damaging fertility or the unborn child.

##### Precautionary Statements

##### Prevention

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P281 - Use personal protective equipment as required.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

##### Response

##### Storage

##### Disposal

#### 2.3. Other hazards

##### Hazards not otherwise classified:

Avoid prolonged or repeated skin contact with used fluid.

##### Unknown acute toxicity (GHS-US)

### SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
---------------	---	-------	--------------------

# SAFETY DATA SHEET

## SECTION 3: Composition/information on ingredients

Petroleum distillates, hydrotreated heavy paraffinic	40 - 70	64742-54-7	Acute Tox. 4; H332 Acute Tox. 3; H331
Residual oils (petroleum), solvent dewaxed	10 - 30	64742-62-7	Acute Tox. 4; H332 Acute Tox. 3; H331
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	1 - 5	68784-26-9	Aquatic Chronic 4; H413
Phenol, 4-dodecyl-	0.1 - 1	104-43-8	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361 Skin Irrit. 2; H315

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
<b>Eyes</b>	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.
<b>Skin Contact</b>	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
<b>Ingestion</b>	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Not determined

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable and Unsuitable Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

### 5.2. Special hazards arising from the substance or mixture

**Fire and/or Explosion Hazards** Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

### 5.3. Advice for firefighters

**Fire Fighting Methods and Protection** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion Products** Carbon monoxide, Smoke

# SAFETY DATA SHEET

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so.

Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM\_06GHS\_CLEAN}

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

### Incompatible materials

See Section 10.

### 7.3. Specific end use(s)

Automotive Lubricants

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	

### 8.2. Exposure controls

#### Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

#### Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

#### Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

#### Eye Protection

No special requirements under normal industrial use.

#### Skin Protection

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

#### Gloves

Neoprene, Nitrile

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# SAFETY DATA SHEET

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point	210
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive Limit, % in air	= 10
Lower Flammable/Explosive Limit, % in air	= 1
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
Relative Density	0.87
Solubility in Water	Negligible; 0-1%
Octanol/Water Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	43.25
9.2. Other information	
Volatiles, % by weight	0.000000

## SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous decomposition products	Carbon monoxide, Smoke

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact	This material is likely to be moderately irritating to skin based on animal data. Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

# SAFETY DATA SHEET

## SECTION 11: Toxicological information

<b>Reproductive and Developmental Toxicity</b>	Contains a substance that is a possible reproductive system hazard based on animal studies at doses that could be encountered in the workplace.
<b>Specific target organ toxicity-Single exposure</b>	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
<b>Specific target organ toxicity-Repeated exposure</b>	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
<b>Aspiration toxicity</b>	Non-hazardous under Aspiration category.
<b>Other information</b>	This product contains a component which caused organ effects (adrenal, thyroid, livery, ovary, testes, and bone marrow) and blood cell formation effects when given orally to rats at high, repeated daily doses. It also caused adverse reproductive effects in experimental animals. When pregnant rats orally were given high, repeated daily doses of this compound, they gave birth to pups with cleft palate and skeletal malformations.

### Agents Classified by IARC Monographs

Arsenic	IARC Group 1
Cadmium	IARC Group 1
Lead	IARC Group 2A
Vinyl acetate	IARC Group 2B
Lead	IARC Group 2B
Ethyl acrylate	IARC Group 2B
Styrene	IARC Group 2B

### National Toxicity Program (NTP) Status

Arsenic	Known Human Carcinogen
Cadmium	Known Human Carcinogen
Lead	Reasonably Anticipated To Be A Human Carcinogen
Styrene	Reasonably Anticipated To Be A Human Carcinogen

## SECTION 12: Ecological information

### 12.1. Toxicity

**Acute Aquatic ecotoxicity:** Non-hazardous under Aquatic Acute Environment category.

**Chronic Aquatic ecotoxicity:** Non-hazardous under Aquatic Chronic Environment category.

### 12.2. Persistence and degradability

Biodegrades slowly.

### 12.3. Bioaccumulative potential

Bioconcentration is expected to occur.

### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

Not determined

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

#### Waste Disposal Code(s)

#### Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

#### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

# SAFETY DATA SHEET

## SECTION 14: Transport information

**DOT Basic Description** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

## SECTION 15: Regulatory information

### Chemical Inventories

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

**U.S. State Restrictions:** Not applicable

**WHMIS:** Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Diphenylamine	SARA 313	122-39-4	0.01 - 0.1
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Lead	SARA 313	7439-92-1	0.001- 0.01
Arsenic	SARA 313	7440-38-2	<10ppm
Ethyl acrylate	SARA 313	140-88-5	<10ppm
Styrene	SARA 313	100-42-5	<10ppm
Cadmium	SARA 313	7440-43-9	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

### U.S. State Regulations

Chemical Name	Regulation	CAS #	%
Lead	California Prop 65- Cancer	7439-92-1	0.001- 0.01
Ethyl acrylate	California Prop 65- Cancer	140-88-5	<10ppm
Cadmium	California Prop 65- Cancer	7440-43-9	<10ppm
Lead	California Prop 65- Dev. Toxicity	7439-92-1	0.001- 0.01
Cadmium	California Prop 65- Dev. Toxicity	7440-43-9	<10ppm
Lead	California Prop 65- Reprod -fem	7439-92-1	0.001- 0.01
Lead	California Prop 65- Reprod-male	7439-92-1	0.001- 0.01
Cadmium	California Prop 65- Reprod-male	7440-43-9	<10ppm
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous Substance List		

### HMIS Ratings:

Health: 2  
Fire: 1  
Reactivity: 0  
PPE: B

### NFPA Ratings:

Health: 2  
Fire: 1  
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

# SAFETY DATA SHEET

## SECTION 16: Other information

**Revision Date** 4/6/2015 12:16:51 PM  
**Supersedes:** 4/6/2015 12:15:35 PM  
**References** ACGIH: American Conference of Governmental Industrial Hygienists  
AIHA: American Industrial Hygiene Association  
CFR: Code of Federal Regulations  
DOT: United States Department of Transportation  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
IATA: International Air Transportation Association  
IDLH: Immediately Dangerous to Life or Health  
IMDG: International Maritime Dangerous Goods  
NFPA: National Fire Protection Association  
NIOSH: National Institute for Occupational Safety and Health  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PEL: Permissible Exposure Limit  
RTK: Right-to-Know  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short-term Exposure Limit  
TLV: Threshold limit value  
TSCA: Toxic Substances Control Act  
TWA: Time weighted average  
UN: United Nations  
WHMIS: Workplace Hazardous Materials Information System

**Disclaimer** Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.