



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: ALLIED TO-4 50 5GL
Product Code: AL07505G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Hydraulic Oil
Recommended restrictions: Not applicable

1.3. Details of the supplier of the safety data sheet

Manufacturer: ALLIED OIL & SUPPLY, INC.
2209 S. 24th Street
Omaha, NE 68108
Information Phone: 402-344-4343 800-333-3717
E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number: CHEMTREC: +1 (800) 424-9300
International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Reproductive Toxicity Category 2

2.2. Label elements

GHS Hazard Symbols



Signal Word

Warning

Hazard Statements

H361 - Suspected of damaging fertility or the unborn child.

Precautionary Statements

Prevention

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P281 - Use personal protective equipment as required.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Response

Storage

Disposal

2.3. Other hazards

Hazards not otherwise classified:

Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients

| Chemical Name | % | CAS # | GHS Classification |
|---------------|---|-------|--------------------|
|---------------|---|-------|--------------------|

SAFETY DATA SHEET

SECTION 3: Composition/information on ingredients

| | | | |
|--|---------|------------|--|
| Residual oils (petroleum), solvent dewaxed | 60 - 90 | 64742-62-7 | Acute Tox. 4; H332 Acute Tox. 3; H331 |
| Petroleum distillates, hydrotreated heavy paraffinic | 10 - 30 | 64742-54-7 | Acute Tox. 4; H332 Acute Tox. 3; H331 |
| Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | 1 - 5 | 68784-26-9 | Aquatic Chronic 4; H413 |
| Phenol, 4-dodecyl- | 0.1 - 1 | 104-43-8 | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361 Skin Irrit. 2; H315 |

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. |
| Eyes | None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard. |
| Skin Contact | Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist. |
| Ingestion | Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

Note to Doctor Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable and Unsuitable Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion Hazards Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

5.3. Advice for firefighters

Fire Fighting Methods and Protection Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous Combustion Products Carbon monoxide, Smoke

SAFETY DATA SHEET

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so.

Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s)

Hydraulic Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Chemical Name | Occupational Exposure Limits | Value |
|-------------------|------------------------------|----------|
| Oil mist, mineral | OSHA PEL | 5 mg/m3 |
| Oil mist, mineral | ACGIH TLV-TWA | 5 mg/m3 |
| Oil mist, mineral | ACGIH STEL | 10 mg/m3 |
| None. | IDLH | |
| None. | OSHA PEL-Skin Notation | |

8.2. Exposure controls

Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection

No special requirements under normal industrial use.

Skin Protection

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves

Neoprene, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

SAFETY DATA SHEET

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|------------------|
| Physical State | Liquid |
| Color | Amber |
| Odor | Mild |
| Odor threshold | Not determined |
| pH | Not determined |
| Freezing point | Not determined |
| Boiling Point | Not determined |
| Flash Point | 218 |
| Flash Point Method | COC |
| Evaporation Rate | Not determined |
| Upper Flammable/Explosive Limit, % in air | = 10 |
| Lower Flammable/Explosive Limit, % in air | = 1 |
| Flammability (solid, gas) | Not applicable |
| Vapor pressure | <0.20 |
| Vapor Density | Not determined |
| Relative Density | 0.89 |
| Solubility in Water | Negligible; 0-1% |
| Octanol/Water Partition Coefficient | Not determined |
| Autoignition Temperature | Not determined |
| Decomposition Temperature | Not determined |
| Viscosity(°C) | 212.6 |
| 9.2. Other information | |
| Volatiles, % by weight | 0.000000 |

SECTION 10: Stability and reactivity

| | |
|--|--|
| 10.1. Reactivity | No data available. |
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| 10.4. Conditions to avoid | Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation). |
| 10.5. Incompatible materials | Strong oxidizing agents |
| 10.6. Hazardous decomposition products | Carbon monoxide, Smoke |

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|---------------------|--|
| Ingestion Toxicity | No hazard in normal industrial use. Estimated to be > 5.0 g/kg. |
| Skin Contact | This material is likely to be moderately irritating to skin based on animal data. Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. |
| Absorption | Likely to be practically non-toxic based on animal data. |
| Inhalation Toxicity | No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. |
| Eye Contact | This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use. |
| Sensitization | Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer. |
| Mutagenicity | No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. |
| Carcinogenicity | Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer. |

SAFETY DATA SHEET

SECTION 11: Toxicological information

| | |
|---|--|
| Reproductive and Developmental Toxicity | Contains a substance that is a possible reproductive system hazard based on animal studies at doses that could be encountered in the workplace. |
| Specific target organ toxicity-Single exposure | Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category. |
| Specific target organ toxicity-Repeated exposure | Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category. |
| Aspiration toxicity | Non-hazardous under Aspiration category. |
| Other information | This product contains a component which caused organ effects (adrenal, thyroid, livery, ovary, testes, and bone marrow) and blood cell formation effects when given orally to rats at high, repeated daily doses. It also caused adverse reproductive effects in experimental animals. When pregnant rats orally were given high, repeated daily doses of this compound, they gave birth to pups with cleft palate and skeletal malformations. |

Agents Classified by IARC Monographs

| | |
|----------------|---------------|
| Arsenic | IARC Group 1 |
| Cadmium | IARC Group 1 |
| Lead | IARC Group 2A |
| Vinyl acetate | IARC Group 2B |
| Lead | IARC Group 2B |
| Ethyl acrylate | IARC Group 2B |
| Styrene | IARC Group 2B |

National Toxicity Program (NTP) Status

| | |
|---------|---|
| Arsenic | Known Human Carcinogen |
| Cadmium | Known Human Carcinogen |
| Lead | Reasonably Anticipated To Be A Human Carcinogen |
| Styrene | Reasonably Anticipated To Be A Human Carcinogen |

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

12.3. Bioaccumulative potential

Bioconcentration is expected to occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SAFETY DATA SHEET

SECTION 14: Transport information

DOT Basic Description Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

SECTION 15: Regulatory information

Chemical Inventories

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

| Chemical Name | Regulation | CAS # | % |
|----------------|------------|-----------|-------------|
| None. | CERCLA | | |
| Diphenylamine | SARA 313 | 122-39-4 | 0.01 - 0.1 |
| Vinyl acetate | SARA 313 | 108-05-4 | 0.001- 0.01 |
| Lead | SARA 313 | 7439-92-1 | 0.001- 0.01 |
| Arsenic | SARA 313 | 7440-38-2 | <10ppm |
| Ethyl acrylate | SARA 313 | 140-88-5 | <10ppm |
| Styrene | SARA 313 | 100-42-5 | <10ppm |
| Cadmium | SARA 313 | 7440-43-9 | <10ppm |
| None. | SARA EHS | | |
| None. | TSCA 12b | | |

U.S. State Regulations

| Chemical Name | Regulation | CAS # | % |
|----------------|---------------------------------------|-----------|-------------|
| Lead | California Prop 65- Cancer | 7439-92-1 | 0.001- 0.01 |
| Ethyl acrylate | California Prop 65- Cancer | 140-88-5 | <10ppm |
| Cadmium | California Prop 65- Cancer | 7440-43-9 | <10ppm |
| Lead | California Prop 65- Dev. Toxicity | 7439-92-1 | 0.001- 0.01 |
| Cadmium | California Prop 65- Dev. Toxicity | 7440-43-9 | <10ppm |
| Lead | California Prop 65- Reprod -fem | 7439-92-1 | 0.001- 0.01 |
| Lead | California Prop 65- Reprod-male | 7439-92-1 | 0.001- 0.01 |
| Cadmium | California Prop 65- Reprod-male | 7440-43-9 | <10ppm |
| None. | Massachusetts RTK List | | |
| None. | New Jersey RTK List | | |
| None. | Pennsylvania RTK List | | |
| None. | Rhode Island RTK List | | |
| None. | Minnesota Hazardous Substance List | | |

HMIS Ratings:

Health: 2
Fire: 1
Reactivity: 0
PPE: B

NFPA Ratings:

Health: 2
Fire: 1
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

SAFETY DATA SHEET

SECTION 16: Other information

Revision Date 4/2/2015 12:11:07 AM
Supersedes: 3/27/2015 4:57:36 PM
References ACGIH: American Conference of Governmental Industrial Hygienists
AIHA: American Industrial Hygiene Association
CFR: Code of Federal Regulations
DOT: United States Department of Transportation
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
IATA: International Air Transportation Association
IDLH: Immediately Dangerous to Life or Health
IMDG: International Maritime Dangerous Goods
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible Exposure Limit
RTK: Right-to-Know
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term Exposure Limit
TLV: Threshold limit value
TSCA: Toxic Substances Control Act
TWA: Time weighted average
UN: United Nations
WHMIS: Workplace Hazardous Materials Information System

Disclaimer Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.